

# 990 Response to a Load Tender

Functional Group ID=**GF**

## Introduction:

This Draft Standard for Trial Use contains the format and establishes the data contents of the Response to a Load Tender Transaction Set (990) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used to provide general information relative to a specific shipment. The Response to a Load Tender is used as the response to a Motor Carrier Load Tender Transaction Set (204) which has been used as a load tender.

## Notes:

*This document identifies the AAFES Business Requirements for the Response to Load Tender. Segments not required by standards, but required by AAFES are marked "RECOMMENDED". All elements marked with "R" are required by AAFES and must always be received. All elements marked "M" are mandatory by the standards.*

<u>Page No.</u>	<u>Pos. No.</u>	<u>Seg. ID</u>	<u>Name</u>	<u>Req. Des.</u>	<u>Max.Use</u>	<u>Loop Repeat</u>	<u>Notes and Comments</u>
2	0100	ST	Transaction Set Header	M	1		
3	0200	B1	Beginning Segment for Booking or Pick-up/Delivery	M	1		
4	0300	N9	Reference Identification	O	1		
5	0700	SE	Transaction Set Trailer	M	1		

**Segment:** **ST Transaction Set Header**  
**Position:** 0100  
**Loop:**  
**Level:**  
**Usage:** Mandatory  
**Max Use:** 1  
**Purpose:** To indicate the start of a transaction set and to assign a control number  
**Syntax Notes:**  
**Semantic Notes:**

- 1 The transaction set identifier (ST01) is used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).
- 2 The implementation convention reference (ST03) is used by the translation routines of the interchange partners to select the appropriate implementation convention to match the transaction set definition.

**Comments:**

**Data Element Summary**

	<u>Ref.</u>	<u>Data</u>	<u>Attributes</u>
	<u>Des.</u>	<u>Element</u> <u>Name</u>	
M	ST01	143 <b>Transaction Set Identifier Code</b> Code uniquely identifying a Transaction Set <i>990 Response to a Load Tender</i>	M 1 ID 3/3
M	ST02	329 <b>Transaction Set Control Number</b> Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set	M 1 AN 4/9

**Segment:** **B1 Beginning Segment for Booking or Pick-up/Delivery**  
**Position:** 0200  
**Loop:**  
**Level:**  
**Usage:** Mandatory  
**Max Use:** 1  
**Purpose:** To transmit identifying numbers, dates, and other basic data relating to the transaction set  
**Syntax Notes:**  
**Semantic Notes:**

- 1 B101 is the Standard Carrier Alpha Code (SCAC) of either the carrier receiving the booking request or the carrier sending the booking confirmation.
- 2 B103 is either the date of the booking request or the date the booking was accepted by the carrier.
- 3 If B105 is "Y", partial loadings are allowed. If B105 is "N", partial loadings are not allowed.
- 4 B106 should be sent if the B104 action code is a "D" for decline.

**Comments:**

**Data Element Summary**

Ref.	Data	Attributes	
<u>Des.</u>	<u>Element</u> <u>Name</u>		
B101	140 <b>Standard Carrier Alpha Code</b> Standard Carrier Alpha Code	O	1 ID 2/4
M	B102 145 <b>Shipment Identification Number</b> Identification number assigned to the shipment by the shipper that uniquely identifies the shipment from origin to ultimate destination and is not subject to modification; (Does not contain blanks or special characters) <i>This number should be used to identify the shipment in all related transaction sets. This number should be from transaction set 204, element B204.</i>	M	1 AN 1/30
B103	373 <b>Date</b> Date expressed as CCYYMMDD where CC represents the first two digits of the calendar year	O	1 DT 8/8
B104	558 <b>Reservation Action Code</b> Code identifying action on reservation or offering A <i>Reservation Accepted</i> D <i>Reservation Cancelled</i>	O	1 ID 1/1

**Segment:** **N9 Reference Identification**  
**Position:** 0300  
**Loop:**  
**Level:**  
**Usage:** Optional  
**Max Use:** 1  
**Purpose:** To transmit identifying information as specified by the Reference Identification Qualifier  
**Syntax Notes:**

- 1 At least one of N902 or N903 is required.
- 2 If N906 is present, then N905 is required.
- 3 If either C04003 or C04004 is present, then the other is required.
- 4 If either C04005 or C04006 is present, then the other is required.

**Semantic Notes:**

- 1 N906 reflects the time zone which the time reflects.
- 2 N907 contains data relating to the value cited in N902.

**Comments:**

**Data Element Summary**

	<b>Ref. Des.</b>	<b>Data Element Name</b>		<b>Attributes</b>	
		<b>Element</b>	<b>Name</b>		
M	<b>N901</b>	<b>128</b>	<b>Reference Identification Qualifier</b> Code qualifying the Reference Identification <i>CN Carrier's Reference Number (PRO/Invoice)</i>	<b>M</b>	<b>1 ID 2/3</b>
	<b>N902</b>	<b>127</b>	<b>Reference Identification</b> Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	<b>X</b>	<b>1 AN 1/50</b>

**Segment:** **SE** Transaction Set Trailer  
**Position:** 0700  
**Loop:**  
**Level:**  
**Usage:** Mandatory  
**Max Use:** 1  
**Purpose:** To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

**Syntax Notes:**

**Semantic Notes:**

**Comments:** 1 SE is the last segment of each transaction set.

**Data Element Summary**

	<b>Ref.</b>	<b>Data</b>	<b>Name</b>	<b>Attributes</b>
	<b><u>Des.</u></b>	<b><u>Element</u></b>		
M	SE01	96	<b>Number of Included Segments</b> Total number of segments included in a transaction set including ST and SE segments	M 1 N0 1/10
M	SE02	329	<b>Transaction Set Control Number</b> Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set	M 1 AN 4/9